

NAME \_\_\_\_\_

Rec. Instructor: \_\_\_\_\_

Signature \_\_\_\_\_

Rec. Time \_\_\_\_\_

**CALCULUS II - EXAM 1**  
 July 1, 2019

Show all work for full credit. No books, notes or calculators are permitted. The point value of each problem is given in the left-hand margin. You have 75 minutes.

Problem	Points	Possible	Problem	Points	Possible
1		10	7		10
2		10	8		10
3		10	9		10
4		10			
5		10			
6		10	Total Score		90

You are free to use the following formulas on any of the problems.

$$\sin(ax)\sin(bx) = \frac{1}{2}\cos((a-b)x) - \frac{1}{2}\cos((a+b)x), \quad \cos(ax)\cos(bx) = \frac{1}{2}\cos((a-b)x) + \frac{1}{2}\cos((a+b)x),$$

$$\sin^2(x) = \frac{1}{2}(1 - \cos(2x)), \quad \cos^2(x) = \frac{1}{2}(1 + \cos(2x)),$$

$$\int \tan x \, dx = -\ln|\cos x| + C, \quad \int \sec x \, dx = \ln|\sec x + \tan x| + C$$

$$\int \frac{dx}{\sqrt{a^2 - x^2}} = \sin^{-1}\left(\frac{x}{a}\right) + C, \quad \int \frac{dx}{a^2 + x^2} = \frac{1}{a} \tan^{-1}\left(\frac{x}{a}\right) + C, \quad \int \frac{dx}{x\sqrt{x^2 - a^2}} = \frac{1}{a} \sec^{-1}\left(\frac{x}{a}\right) + C$$

$$\int \sin^n x \, dx = -\frac{\sin^{n-1} x \cos x}{n} + \frac{n-1}{n} \int \sin^{n-2} x \, dx,$$

$$\int \tan^n x \, dx = \frac{\tan^{n-1} x}{n-1} - \int \tan^{n-2} x \, dx, \quad \int_1 \sec^n x \, dx = \frac{\sec^{n-2} x \tan x}{n-1} + \frac{n-2}{n-1} \int \sec^{n-2} x \, dx$$

$$\int \tan x \, dx = -\ln |\cos x| + C, \quad \int \sec x \, dx = \ln |\sec x + \tan x| + C$$

$$\int \frac{dx}{\sqrt{a^2 - x^2}} = \sin^{-1} \left( \frac{x}{a} \right) + C,$$

$$\int \frac{dx}{a^2 + x^2} = \frac{1}{a} \tan^{-1} \left( \frac{x}{a} \right) + C, \quad \int \frac{dx}{x\sqrt{x^2 - a^2}} = \frac{1}{a} \sec^{-1} \left( \frac{x}{a} \right) + C$$

Work =  $\int$  Force  $\cdot dx$  ;      Units of work: ft-lbs, newton-meters = joules;

Hooke's Law for springs:  $F = kx$ , where  $x$  is the distance stretched from rest position.

$$M_x = \frac{1}{2} \int_a^b f(x)^2 - g(x)^2 \, dx, \quad M_y = \int_a^b x(f(x) - g(x)) \, dx.$$

(10) 1.  $\int \frac{2x^2 + x + 10}{x - 4} dx$

- (10) 2. A 50m cable with density 5N/m is attached to a 3000N wrecking ball. Find the work to raise the wrecking ball from the ground up to the top.

(10) 3.  $\int e^x \cos x \, dx$

(10) 4.  $\int \sin^6(x) \cos^3(x) \, dx$

- (10) **5.** Determine the centroid  $(\bar{x}, \bar{y})$  of the region from  $x = 0$  to  $x = \frac{\pi}{2}$  bounded by  $y = 2 \sin(2x)$ ,  $y = 0$ , and  $x = 0$ .

$$(10) \text{ 6. } \int \frac{dx}{\sqrt{6+x^2}}$$

$$(10) \text{ 7. } \frac{d}{d\theta} e^{\cosh(1+\theta^3)}$$

(10) 8.  $\int \frac{x^2 - 3x + 4}{x^3 - x} dx$

(10) **9.** Evaluate the integral using proper limit notation.

$$\int_{-2}^3 \frac{1}{x^3} dx$$